PODY604 - Musculoskeletal Podiatry II



[1]

2013 Census QuickStats about people aged 65 and over: 2013. http://archive.stats.govt.nz/Census/2013-census/profile-and-summary-reports/quickstats-6 5-plus.aspx.

[2]

Alfredson, H. et al. 1998. Heavy-Load Eccentric Calf Muscle Training For the Treatment of Chronic Achilles Tendinosis. The American Journal of Sports Medicine. 26, 3 (1998), 360–366. DOI:https://doi.org/10.1177/03635465980260030301.

[3]

Australian and New Zealand Podiatry Accreditation Council 2015. Podiatry Competency Standards for Australia and New Zealand.

[4]

Beckett, M.E. et al. 1992. Incidence of hyperpronation in the ACL injured knee: a clinical perspective. Journal of Athletic Training. 27, 1 (1992).

[5]

Beeson, P. 2014. Plantar fasciopathy: Revisiting the risk factors. Foot and Ankle Surgery. 20, 3 (2014), 160–165.

[6]

Bennell, K. et al. 1998. Intra-rater and inter-rater reliability of a weight-bearing lunge measure of ankle dorsiflexion. Australian Journal of Physiotherapy. 44, 3 (1998), 175–180. DOI:https://doi.org/10.1016/S0004-9514(14)60377-9.

[7]

Bennell, K.L. et al. 1996. Risk Factors for Stress Fractures in Track and Field Athletes. The American Journal of Sports Medicine. 24, 6 (1996), 810–818. DOI:https://doi.org/10.1177/036354659602400617.

[8]

Biesecker, L.G. et al. 2009. Elements of morphology: Standard terminology for the hands and feet. American Journal of Medical Genetics Part A. 149A, 1 (2009), 93–127. DOI:https://doi.org/10.1002/ajmg.a.32596.

[9]

Bloedel, P.K. and Hauger, B. 1995. The effects of limb length discrepancy on subtalar joint kinematics during running. Journal of Orthopaedic & Sports Physical Therapy. 22, 2 (1995), 60–64. DOI:https://doi.org/10.2519/jospt.1995.22.2.60.

[10]

Bojsen-Moller, F. 1979. Calcaneocuboid joint and stability of the longitudinal arch of the foot at high and low gear push off. Journal of Anatomy. 129, 1 (1979), 165–176.

[11]

Brady, R.J. et al. 2003. Limb length inequality: clinical implications for assessment and intervention. Journal of Orthopaedic & Sports Physical Therapy. 33, 5 (2003), 221–234.

[12]

Bramhall, E. 2014. Effective communication skills in nursing practice. Nursing Standard. 29, 14 (2014), 53–59.

Bruening, D.A. et al. 2018. Midtarsal locking, the windlass mechanism, and running strike pattern: A kinematic and kinetic assessment. Journal of Biomechanics. 73, (2018), 185–191.

[14]

Buldt, A.K. et al. 2018. Centre of pressure in normal, planus and cavus feet. Journal of Foot and Ankle Research. 11, 1 (2018).

[15]

Buldt, A.K. et al. 2013. The relationship between foot posture and lower limb kinematics during walking: A systematic review. Gait & Posture. 38, 3 (2013), 363–372. DOI:https://doi.org/10.1016/j.gaitpost.2013.01.010.

[16]

Buldt, A.K. et al. 2013. The relationship between foot posture and lower limb kinematics during walking: A systematic review. Gait & Posture. 38, 3 (2013), 363–372. DOI:https://doi.org/10.1016/j.gaitpost.2013.01.010.

[17]

Burnfield, J.M. et al. 2004. The influence of walking speed and footwear on plantar pressures in older adults. Clinical Biomechanics. 19, 1 (2004), 78–84. DOI:https://doi.org/10.1016/j.clinbiomech.2003.09.007.

[18]

Burns, J. et al. 2006. Effective Orthotic Therapy for the Painful Cavus Foot : A Randomized Controlled Trial. Journal of the American Podiatric Association. 96, 3 (2006), 205–211.

[19]

Burns, J. et al. 2007. Interventions for the prevention and treatment of pes cavus. Cochrane Database of Systematic Reviews. 4 (2007). DOI:https://doi.org/10.1002/14651858.CD006154.pub2.

[20]

Butterworth, P.A. et al. 2014. The association between body composition and foot structure and function: a systematic review. Obesity Reviews. 15, 4 (2014), 348–357. DOI:https://doi.org/10.1111/obr.12130.

[21]

Charles, J. et al. 2010. Static Ankle Joint Equinus. Journal of the American Podiatric Medical Association. 100, 3 (2010), 195–203. DOI:https://doi.org/10.7547/1000195.

[22]

Chilvers, M. and Manoli, A. 2008. The Subtle Cavus Foot and Association with Ankle Instability and Lateral Foot Overload. Foot and Ankle Clinics. 13, 2 (2008), 315–324. DOI:https://doi.org/10.1016/j.fcl.2008.01.003.

[23]

Cook, J.L. and Purdam, C.R. 2009. Is tendon pathology a continuum? A pathology model to explain the clinical presentation of load-induced tendinopathy. British Journal of Sports Medicine. 43, 6 (2009), 409–416. DOI:https://doi.org/10.1136/bjsm.2008.051193.

[24]

Cooperstein, R. et al. 2007. Mathematical modeling of the socalled Allis test: a field study in orthopedic confusion. Chiropractic & Osteopathy. 15, 1 (2007). DOI:https://doi.org/10.1186/1746-1340-15-3.

[25]

Dananberg, H. 1993. Gait style as an etiology to chronic postural pain. Part II. Postural compensatory process. Journal of the American Podiatric Medical Association. 83, 11 (1993), 615–624. DOI:https://doi.org/10.7547/87507315-83-11-615.

[26]

Dananberg, H.J. 1993. Gait Style as an Etiology to Chronic Postural Pain. Part I. Functional Hallux Limitus. Journal of the American Podiatric Medical Association. 83, 8 (1993), 433–441.

[27]

Dananberg, H.J. 2000. Sagittal Plane Biomechanics. Journal of the American Podiatric Medical Association. 90, 1 (2000), 47–50.

[28]

Dananberg, H.J. 2000. Sagittal Plane Biomechanics. Journal of the American Podiatric Medical Association. 90, 1 (2000), 47–50.

[29]

Desai, S.N. et al. 2010. The Cavus Foot in Athletes: Fundamentals of Examination and Treatment. Operative Techniques in Sports Medicine. 18, 1 (Mar. 2010), 27–33. DOI:https://doi.org/10.1053/j.otsm.2009.10.002.

[30]

Drake, R.L. et al. 2021. Gray's atlas of anatomy. Elsevier.

[31]

Durrant, B. and Chockalingam, N. 2009. Functional Hallux Limitus. Journal of the American Podiatric Medical Association. 99, 3 (2009), 236–243. DOI:https://doi.org/10.7547/0980236.

[32]

Evans, E.L. and Catanzariti, A.R. Forefoot Supinatus. Clinics in Podiatric Medicine and Surgery. 31, 3, 405–413. DOI:https://doi.org/10.1016/j.cpm.2014.03.009.

[33]

Franettovich, M. et al. 2008. Tape That Increases Medial Longitudinal Arch Height Also Reduces Leg Muscle Activity. Medicine & Science in Sports & Exercise. 40, 4 (2008), 593–600. DOI:https://doi.org/10.1249/MSS.0b013e318162134f.

[34]

Garow, A.P. et al. 2001. The grading of hallux valgus. Journal of the American Podiatric Association. 91, 2 (2001), 74–78.

[35]

Golightly, Y.M. et al. 2009. Symptoms of the knee and hip in individuals with and without limb length inequality. Osteoarthritis and Cartilage. 17, 5 (2009), 596–600. DOI:https://doi.org/10.1016/j.joca.2008.11.005.

[36]

Griffiths, I.B. and McEwan, I.M. 2012. Reliability of a New Supination Resistance Measurement Device and Validation of the Manual Supination Resistance Test. Journal of the American Podiatric Medical Association. 102, 4 (2012), 278–289.

[37]

Gurney, B. 2002. Leg length discrepancy. Gait & Posture. 15, 2 (2002), 195–206. DOI:https://doi.org/10.1016/S0966-6362(01)00148-5.

[38]

Halstead, J. et al. 2016. Foot orthoses in the treatment of symptomatic midfoot osteoarthritis using clinical and biomechanical outcomes: a randomised feasibility study. Clinical Rheumatology. 35, 4 (2016), 987–996. DOI:https://doi.org/10.1007/s10067-015-2946-6.

[39]

Hanada, E. et al. 2001. Measuring leg-length discrepancy by the "iliac crest palpation and book correction" method: Reliability and validity. Archives of Physical Medicine and Rehabilitation. 82, 7 (2001), 938–942. DOI:https://doi.org/10.1053/apmr.2001.22622.

[40]

Harradine, P. et al. An overview of podiatric biomechanics theory and its relation to selected gait dysfunction. Physiotherapy. 92, 2, 122–127. DOI:https://doi.org/10.1016/j.physio.2005.10.003.

[41]

Harradine, P. et al. 2018. If It Doesn't Work, Why Do We Still Do It? The Continuing Use of Subtalar Joint Neutral Theory in the Face of Overpowering Critical Research. Journal of Orthopaedic & Sports Physical Therapy. 48, 3 (2018), 130–132. DOI:https://doi.org/10.2519/jospt.2018.0604.

[42]

Harradine, P. and Bevan, L. 2009. A Review of the Theoretical Unified Approach to Podiatric Biomechanics in Relation to Foot Orthoses Therapy. Journal of the American Podiatric Medical Association. 99, 4 (2009), 317–325. DOI:https://doi.org/10.7547/0980317.

[43]

Harvey, W.F. et al. 2010. Association of leg-length inequality with knee osteoarthritis a cohort study. Annals of Internal Medicine. 152, 5 (2010), 287–295.

[44]

Health and Disability Commissioner 1996. Code of Health and Disability Services Consumers' Rights - Health and Disability Commissioner.

[45]

Hicks, J.H. 1954. The mechanics of the foot: II. The plantar aponeurosis and the arch. Journal of Anatomy. 88, 1 (1954), 25–30.

[46]

Hoyle, D.A. et al. 1991. Intraexaminer, interexaminer, and interdevice comparability of leg length measurements obtained with measuring tape and metrecom. Journal of Orthopaedic and Sports Physical Therapy. 14, 6 (1991), 263–268.

[47]

Jarvis, H.L. et al. 2017. Challenging the foundations of the clinical model of foot function:

further evidence that the root model assessments fail to appropriately classify foot function. Journal of Foot and Ankle Research. 10, 7 (2017).

[48]

Jarvis, H.L. et al. 2012. Inter-assessor reliability of practice based biomechanical assessment of the foot and ankle. Journal of Foot and Ankle Research. 5, 14 (2012).

[49]

Kendall, J.C. et al. 2014. Foot posture, leg length discrepancy and low back pain – Their relationship and clinical management using foot orthoses – An overview. The Foot. 24, 2 (2014), 75–80. DOI:https://doi.org/10.1016/j.foot.2014.03.004.

[50]

Kirby, K.A. 2000. Biomechanics of the normal and abnormal foot. Journal of the American Podiatric Medical Association. 90, 1 (2000), 30–34. DOI:https://doi.org/10.7547/87507315-90-1-30.

[51]

Kirby, K.A. 2001. Subtalar Joint Axis Location and Rotational Equilibrium Theory of Foot Function. Journal of the American Podiatric Medical Association. 91, 9 (2001), 465–487. DOI:https://doi.org/10.7547/87507315-91-9-465.

[52]

Kirby, K.A. 1992. The medial heel skive technique. Improving pronation control in foot orthoses. Journal of the American Podiatric Medical Association. 82, 4 (1992), 177–188. DOI:https://doi.org/10.7547/87507315-82-4-177.

[53]

Koepsell, T.D. et al. 2004. Footwear Style and Risk of Falls in Older Adults. Journal of the American Geriatrics Society. 52, 9 (2004), 1495–1501. DOI:https://doi.org/10.1111/j.1532-5415.2004.52412.x.

[54]

Kwon, O.Y. et al. 2009. Muscle imbalance and reduced ankle joint motion in people with hammer toe deformity. Clinical Biomechanics. 24, 8 (2009), 670–675. DOI:https://doi.org/10.1016/j.clinbiomech.2009.05.010.

[55]

Landorf, K.B. et al. 2006. Effectiveness of Foot Orthoses to Treat Plantar Fasciitis. Archives of Internal Medicine. 166, 12 (2006). DOI:https://doi.org/10.1001/archinte.166.12.1305.

[56]

Levinson, W. 1997. Physician-Patient CommunicationThe Relationship With Malpractice Claims Among Primary Care Physicians and Surgeons. JAMA: The Journal of the American Medical Association. 277, 7 (1997). DOI:https://doi.org/10.1001/jama.1997.03540310051034.

[57]

Maffulli, N. et al. 2012. Management of tendinopathies of the foot and ankle. Orthopaedics and Trauma. 26, 4 (2012), 259–264. DOI:https://doi.org/10.1016/j.mporth.2012.05.008.

[58]

Mahmood, S. et al. 2010. Limb-length discrepancy as a cause of plantar fasciitis. Journal of the American Podiatric Medical Association. 100, 6 (2010), 452–455.

[59]

Makoul, G. 2001. The SEGUE Framework for teaching and assessing communication skills. Patient Education and Counseling. 45, 1 (2001), 23–34. DOI:https://doi.org/10.1016/S0738-3991(01)00136-7.

[60]

Manoli, A. and Graham, B. 2005. The Subtle Cavus Foot, "the Underpronator," a Review. Foot & Ankle International. 26, 3 (Mar. 2005), 256–263. DOI:https://doi.org/10.1177/107110070502600313.

[61]

McMillan, A.M. et al. 2009. Diagnostic imaging for chronic plantar heel pain: a systematic review and meta-analysis. Journal of Foot and Ankle Research. 2, 32 (2009). DOI:https://doi.org/10.1186/1757-1146-2-32.

[62]

McPoil, T.G. and Hunt, G.C. 1995. Evaluation and Management of Foot and Ankle Disorders: Present Problems and Future Directions. Foot/Ankle Therapy and Research. 21, 6 (1995).

[63]

McPoil, T.G. and Hunt, G.C. 1995. Evaluation and Management of Foot and Ankle Disorders: Present Problems and Future Directions. Foot/Ankle Therapy and Research. 21, 6 (1995).

[64]

Menz, H.B. 2014. Biomechanics of the ageing foot and ankle: A mini-review. Gerontology. 61, (2014), 381–388. DOI:https://doi.org/10.1159/000368357.

[65]

Menz, H.B. 2015. Biomechanics of the ageing foot and ankle: a mini-review. Gerontology. 61, 4 (2015), 381–388.

[66]

Menz, H.B. et al. 2014. Effectiveness of Off-The-Shelf, Extra-Depth Footwear in Reducing Foot Pain in Older People: A Randomized Controlled Trial. Rheumatology. 53, suppl_1 (2014), i128-i128. DOI:https://doi.org/10.1093/rheumatology/keu109.001.

[67]

Menz, H.B. et al. 2005. Foot and Ankle Characteristics Associated With Impaired Balance and Functional Ability in Older People. The Journals of Gerontology Series A: Biological Sciences and Medical Sciences. 60, 12 (2005), 1546–1552. DOI:https://doi.org/10.1093/gerona/60.12.1546.

[68]

Menz, H.B. 2008. Foot problems in older people: assessment and management. Churchill Livingstone.

[69]

Menz, H.B. et al. 2007. Plantar pressures are higher under callused regions of the foot in older people. Clinical and Experimental Dermatology. 32, 4 (2007), 375–380. DOI:https://doi.org/10.1111/j.1365-2230.2007.02421.x.

[70]

Menz, H.B. et al. 2003. Reliability of Clinical Tests of Foot and Ankle Characteristics in Older People. Journal of the American Podiatric Association. 93, 5 (2003).

[71]

Menz, H.B. and Sherrington, C. 2000. The footwear assessment form: a reliable clinical tool to assess footwear characteristics of relevance to postural stability in older adults. Clinical Rehabilitation. 14, 6 (2000), 657–664.

[72]

Mickle, K.J. et al. 2016. Efficacy of a progressive resistance exercise program to increase toe flexor strength in older people. Clinical Biomechanics. 40, (2016), 14–19. DOI:https://doi.org/10.1016/j.clinbiomech.2016.10.005.

[73]

Mickle, K.J. et al. 2009. ISB Clinical Biomechanics Award 2009. Clinical Biomechanics. 24, 10 (2009), 787–791. DOI:https://doi.org/10.1016/j.clinbiomech.2009.08.011.

[74]

Miikkola, M. et al. 2019. Challenges of foot self-care in older people: A qualitative focus-group study. Journal of Foot and Ankle Research. 12, 1 (2019). DOI:https://doi.org/10.1186/s13047-019-0315-4.

[75]

Miikkola, M. et al. 2019. Challenges of foot self-care in older people: a qualitative focus-group study. Journal of Foot and Ankle Research. 12, 5 (2019). DOI:https://doi.org/10.1186/s13047-019-0315-4.

[76]

Munteanu, S.E. et al. 2015. Effectiveness of customised foot orthoses for achilles tendinopathy: A randomised controlled trial. British Journal of Sports Medicine. 49, 15 (2015), 989–994. DOI:https://doi.org/10.1136/bjsports-2014-093845.

[77]

Murley, G.S. et al. 2009. Foot posture influences the electromyographic activity of selected lower limb muscles during gait. Journal of Foot and Ankle Research. 2, 1 (2009). DOI:https://doi.org/10.1186/1757-1146-2-35.

[78]

Myerson, M.S. and Shereff, M.J. 1989. The pathological anatomy of claw and hammer toes. The Journal of Bone and Joint Surgery. 71A, (1989), 45–49.

[79]

Najafi, B. et al. 2014. Mechanism of orthotic therapy for the painful cavus foot deformity. Journal of Foot and Ankle Research. 7, 2 (2014).

[80]

Neal, B.S. et al. 2014. Foot posture as a risk factor for lower limb overuse injury: a systematic review and meta-analysis. Journal of Foot and Ankle Research. 7, 1 (2014). DOI:https://doi.org/10.1186/s13047-014-0055-4.

[81]

Neal, B.S. et al. 2014. Foot posture as a risk factor for lower limb overuse injury: A systematic review and meta-analysis. Journal of Foot and Ankle Research. 7, 1 (2014).

DOI:https://doi.org/10.1186/s13047-014-0055-4.

[82]

Nester, C.J. et al. 2014. Movement of the human foot in 100 pain free individuals aged 18–45: implications for understanding normal foot function. Journal of Foot and Ankle Research. 7, 51 (2014).

[83]

Nix, S.E. et al. 2013. Gait parameters associated with hallux valgus: a systematic review. Journal of Foot and Ankle Research. 6, 9 (2013).

[84]

Noakes, H. and Payne, C. 2003. The Reliability of the Manual Supination Resistance Test. Journal of the American Podiatric Medical Association. 93, 3 (2003), 185–189.

[85]

Ohberg, L. et al. 2004. Eccentric training in patients with chronic Achilles tendinosis: normalised tendon structure and decreased thickness at follow up * Commentary. British Journal of Sports Medicine. 38, 1 (2004), 8–11. DOI:https://doi.org/10.1136/bjsm.2001.000284.

[86]

Okita, N. et al. 2013. Midtarsal joint locking: New perspectives on an old paradigm. Journal of Orthopaedic Research. 32, 1 (2013), 110–115.

[87]

Podiatrists Board of New Zealand 2019. Principles and Standards for the Practice of Podiatry in New Zealand.

[88]

Radford, J.A. et al. 2006. Effectiveness of low-dye taping for the short-term treatment of

plantar heel pain: A randomised trial. BMC Musculoskeletal Disorders. 7, 1 (2006). DOI:https://doi.org/10.1186/1471-2474-7-64.

[89]

Ranjan, P. 2015. How can Doctors Improve their Communication Skills? Journal of Clincal and Diagnostic Research. 9, 3 (2015). DOI:https://doi.org/10.7860/JCDR/2015/12072.5712.

[90]

Redmond, A.C. et al. 2008. Normative values for the foot posture index. Journal of Foot and Ankle Research. 1, 6 (2008). DOI:https://doi.org/10.1186/1757-1146-1-6.

[91]

Ross, M. 2002. Use of the Tissue Stress Model as a Paradigm for Developing an Examination and Management Plan for a Patient with Plantar Fasciitis. Journal of the American Podiatric Medical Association. 92, 9 (2002), 499–506. DOI:https://doi.org/10.7547/87507315-92-9-499.

[92]

Ross, M. 2002. Use of the Tissue Stress Model as a Paradigm for Developing an Examination and Management Plan for a Patient with Plantar Fasciitis. Journal of the American Podiatric Medical Association. 92, 9 (2002), 499–506. DOI:https://doi.org/10.7547/87507315-92-9-499.

[93]

Roster, B. et al. 2015. Peroneal tendon disorders. Clinics in Sports Medicine. 34, 4 (2015), 625–641.

[94]

Rothbart, B.A. 2006. Relationship of functional leg-length discrepancy to abnormal pronation. Journal of the American Podiatric Medical Association. 96, 6 (2006).

[95]

Roy, K.J. and Scherer, P. 4986. Forefoot Supinatus. Journal of the American Podiatric Association. 76, 7 (4986), 390–394.

[96]

Sabharwal, S. and Kumar, A. 2008. Methods for assessing leg length discrepancy. Clinical Orthopaedics and Related Research. 466, 12 (2008), 2910–2922. DOI:https://doi.org/10.1007/s11999-008-0524-9.

[97]

Scott, G. et al. 2007. Age-related differences in foot structure and function. Gait & Posture. 26, 1 (2007), 68–75. DOI:https://doi.org/10.1016/j.gaitpost.2006.07.009.

[98]

Scott, G. et al. 2007. Age-related differences in foot structure and function. Gait & Posture. 26, 1 (2007), 68–75. DOI:https://doi.org/10.1016/j.gaitpost.2006.07.009.

[99]

Statler, T.K. and Tullis, B.L. 2005. Pes cavus. Journal of the American Podiatric Association. 95, 1 (2005).

[100]

Thomas, J.L. et al. 2009. Diagnosis and Treatment of Forefoot Disorders. Section 1: Digital Deformities. The Journal of Foot and Ankle Surgery. 48, 2 (2009), 230–238. DOI:https://doi.org/10.1053/j.jfas.2008.12.003.

[101]

Thomas, J.L. et al. 2009. Diagnosis and Treatment of Forefoot Disorders. Section 2. Central Metatarsalgia. The Journal of Foot and Ankle Surgery. 48, 2 (Mar. 2009), 239–250. DOI:https://doi.org/10.1053/j.jfas.2008.12.004.

[102]

Thomas, J.L. et al. 2009. Diagnosis and Treatment of Forefoot Disorders. Section 3. Morton's Intermetatarsal Neuroma. The Journal of Foot and Ankle Surgery. 48, 2 (2009), 251–256. DOI:https://doi.org/10.1053/j.jfas.2008.12.005.

[103]

Thomas, J.L. et al. 2009. Diagnosis and Treatment of Forefoot Disorders. Section 4. Tailor's Bunion. The Journal of Foot and Ankle Surgery. 48, 2 (2009), 257–263. DOI:https://doi.org/10.1053/j.jfas.2008.12.006.

[104]

Tiberio, D. 1988. Pathomechanics of structural foot deformities. Physical Therapy. 68, 12 (1988), 1840–1849.

[105]

Torkki, M. et al. 2001. Surgery vs Orthosis vs Watchful Waiting for Hallux Valgus. JAMA. 285, 19 (2001), 2474–2480. DOI:https://doi.org/10.1001/jama.285.19.2474.

[106]

Vaishya, R. et al. 2016. Spontaneous osteonecrosis of navicular and talus (SONNT). Journal of Clinical Orthopaedics and Trauma. 7, (2016), 83–87. DOI:https://doi.org/10.1016/j.jcot.2016.06.005.

[107]

Vicenzino, B. et al. 2005. Initial effects of anti-pronation tape on the medial longitudinal arch during walking and running. British Journal of Sports Medicine. 39, 12 (2005), 939–943. DOI:https://doi.org/10.1136/bjsm.2005.019158.

[108]

Vinicombe, A. et al. 2001. Reliability of navicular displacement measurement as a clinical indicator of foot posture. Journal of the American Podiatric Medical Association. 91, 5 (2001), 262–268.

[109]

Walsh, M. et al. 2000. Leg length discrepancy — an experimental study of compensatory changes in three dimensions using gait analysis. Gait & Posture. 12, 2 (2000), 156–161. DOI:https://doi.org/10.1016/S0966-6362(00)00067-9.

[110]

Wegener, C. et al. 2008. Effect of Neutral-Cushioned Running Shoes on Plantar Pressure Loading and Comfort in Athletes with Cavus Feet. The American Journal of Sports Medicine. 36, 11 (2008), 2139–2146. DOI:https://doi.org/10.1177/0363546508318191.

[111]

Whitaker, J.M. et al. 2003. Effect of the low-dye strap on pronation-sensitive mechanical attributes of the foot. Journal of the American Podiatric Medical Association. 93, 2 (2003), 118–123. DOI:https://doi.org/10.7547/87507315-93-2-118.