

PODY604 - Musculoskeletal Podiatry II

[View Online](#)

Alfredson, H., Pietilä, T., Jonsson, P., & Lorentzon, R. (1998). Heavy-Load Eccentric Calf Muscle Training For the Treatment of Chronic Achilles Tendinosis. *The American Journal of Sports Medicine*, 26(3), 360–366. <https://doi.org/10.1177/03635465980260030301>

Australian and New Zealand Podiatry Accreditation Council. (2015). Podiatry Competency Standards for Australia and New Zealand. <https://www.podiatristsboard.org.nz/Portals/0/Uploads/PBNZ.%20%20ANZPAC%20Podiatry%20Competency%20Standards%206.9.15.pdf?ver=2016-08-15-115752-873>

Beckett, M. E., Massie, D. L., Douglas Bowers, K., & Stoll, D. A. (1992). Incidence of hyperpronation in the ACL injured knee: a clinical perspective. *Journal of Athletic Training*, 27(1). <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1317132/pdf/jathtrain00033-0060.pdf>

Beeson, P. (2014). Plantar fasciopathy: Revisiting the risk factors. *Foot and Ankle Surgery*, 20(3), 160–165. <https://www-clinicalkey-com-au.ezproxy.aut.ac.nz/playContent/1-s2.0-S126877311400040X>

Bennell, K. L., Malcolm, S. A., Thomas, S. A., Reid, S. J., Brukner, P. D., Ebeling, P. R., & Wark, J. D. (1996). Risk Factors for Stress Fractures in Track and Field Athletes. *The American Journal of Sports Medicine*, 24(6), 810–818. <https://doi.org/10.1177/036354659602400617>

Bennell, K., Talbot, R., Wajswelner, H., Techovanich, W., Kelly, D., & Hall, A. (1998). Intra-rater and inter-rater reliability of a weight-bearing lunge measure of ankle dorsiflexion. *Australian Journal of Physiotherapy*, 44(3), 175–180. [https://doi.org/10.1016/S0004-9514\(14\)60377-9](https://doi.org/10.1016/S0004-9514(14)60377-9)

Biesecker, L. G., Aase, J. M., Clericuzio, C., Gurrieri, F., Temple, I. K., & Toriello, H. (2009). Elements of morphology: Standard terminology for the hands and feet. *American Journal of Medical Genetics Part A*, 149A(1), 93–127. <https://doi.org/10.1002/ajmg.a.32596>

Bloedel, P. K., & Hauger, B. (1995). The effects of limb length discrepancy on subtalar joint kinematics during running. *Journal of Orthopaedic & Sports Physical Therapy*, 22(2), 60–64. <https://doi.org/10.2519/jospt.1995.22.2.60>

Bojsen-Moller, F. (1979). Calcaneocuboid joint and stability of the longitudinal arch of the foot at high and low gear push off. *Journal of Anatomy*, 129(1), 165–176. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1233091/pdf/janat00237-0169.pdf>

Brady, R. J., Dean, J. B., Skinner, T. M., & Gross, M. T. (2003). Limb length inequality: clinical implications for assessment and intervention. *Journal of Orthopaedic & Sports Physical Therapy*, 33(5), 221–234.

<https://www-jospt-org.ezproxy.aut.ac.nz/doi/pdf/10.2519/jospt.2003.33.5.221>

Bramhall, E. (2014). Effective communication skills in nursing practice. *Nursing Standard*, 29(14), 53–59.

<https://journals-rcni-com.ezproxy.aut.ac.nz/doi/pdf/10.7748/ns.29.14.53.e9355>

Bruening, D. A., Pohl, M. B., Takahashi, K. Z., & Barrios, J. A. (2018). Midtarsal locking, the windlass mechanism, and running strike pattern: A kinematic and kinetic assessment. *Journal of Biomechanics*, 73, 185–191.

<https://www-clinicalkey-com-au.ezproxy.aut.ac.nz/playContent/1-s2.0-S0021929018302744>

Buldt, A. K., Forghany, S., Landorf, K. B., Murley, G. S., Levinger, P., & Menz, H. B. (2018). Centre of pressure in normal, planus and cavus feet. *Journal of Foot and Ankle Research*, 11(1). <https://link-springer-com.ezproxy.aut.ac.nz/article/10.1186/s13047-018-0245-6>

Buldt, A. K., Murley, G. S., Butterworth, P., Levinger, P., Menz, H. B., & Landorf, K. B. (2013a). The relationship between foot posture and lower limb kinematics during walking: A systematic review. *Gait & Posture*, 38(3), 363–372.

<https://doi.org/10.1016/j.gaitpost.2013.01.010>

Buldt, A. K., Murley, G. S., Butterworth, P., Levinger, P., Menz, H. B., & Landorf, K. B. (2013b). The relationship between foot posture and lower limb kinematics during walking: A systematic review. *Gait & Posture*, 38(3), 363–372.

<https://doi.org/10.1016/j.gaitpost.2013.01.010>

Burnfield, J. M., Few, C. D., Mohamed, O. S., & Perry, J. (2004). The influence of walking speed and footwear on plantar pressures in older adults. *Clinical Biomechanics*, 19(1), 78–84. <https://doi.org/10.1016/j.clinbiomech.2003.09.007>

Burns, J., Crosbie, J., Ouvrier, R., & Hunt, A. (2006). Effective Orthotic Therapy for the Painful Cavus Foot: A Randomized Controlled Trial. *Journal of the American Podiatric Association*, 96(3), 205–211.

<https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/0960205>

Burns, J., Landorf, K. B., Ryan, M. M., Crosbie, J., & Ouvrier, R. A. (2007). Interventions for the prevention and treatment of pes cavus. *Cochrane Database of Systematic Reviews*, 4. <https://doi.org/10.1002/14651858.CD006154.pub2>

Butterworth, P. A., Landorf, K. B., Gilleard, W., Urquhart, D. M., & Menz, H. B. (2014). The association between body composition and foot structure and function: a systematic review. *Obesity Reviews*, 15(4), 348–357. <https://doi.org/10.1111/obr.12130>

Charles, J., Scutter, S. D., & Buckley, J. (2010). Static Ankle Joint Equinus. *Journal of the American Podiatric Medical Association*, 100(3), 195–203. <https://doi.org/10.7547/1000195>

Chilvers, M., & Manoli, A. (2008). The Subtle Cavus Foot and Association with Ankle Instability and Lateral Foot Overload. *Foot and Ankle Clinics*, 13(2), 315–324.

<https://doi.org/10.1016/j.fcl.2008.01.003>

Cook, J. L., & Purdam, C. R. (2009). Is tendon pathology a continuum? A pathology model to explain the clinical presentation of load-induced tendinopathy. *British Journal of Sports Medicine*, 43(6), 409–416. <https://doi.org/10.1136/bjsm.2008.051193>

Cooperstein, R., Haneline, M., & Young, M. (2007). Mathematical modeling of the so-called Allis test: a field study in orthopedic confusion. *Chiropractic & Osteopathy*, 15(1). <https://doi.org/10.1186/1746-1340-15-3>

Dananberg, H. (1993). Gait style as an etiology to chronic postural pain. Part II. Postural compensatory process. *Journal of the American Podiatric Medical Association*, 83(11), 615–624. <https://doi.org/10.7547/87507315-83-11-615>

Dananberg, H. J. (1993). Gait Style as an Etiology to Chronic Postural Pain. Part I. Functional Hallux Limitus. *Journal of the American Podiatric Medical Association*, 83(8), 433–441. <http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/abs/10.7547/87507315-83-8-433>

Dananberg, H. J. (2000a). Sagittal Plane Biomechanics. *Journal of the American Podiatric Medical Association*, 90(1), 47–50. <http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-90-1-47>

Dananberg, H. J. (2000b). Sagittal Plane Biomechanics. *Journal of the American Podiatric Medical Association*, 90(1), 47–50. <http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-90-1-47>

Desai, S. N., Grierson, R., & Manoli, A. (2010). The Cavus Foot in Athletes: Fundamentals of Examination and Treatment. *Operative Techniques in Sports Medicine*, 18(1), 27–33. <https://doi.org/10.1053/j.otsm.2009.10.002>

Drake, R. L., Vogl, W., & Mitchell, A. W. M. (2021). *Gray's atlas of anatomy* (3rd ed.). Elsevier. <https://www-clinicalkey-com-au.ezproxy.aut.ac.nz/nursing/dura/browse/bookChapter/3-s2.0-C20170039332>

Durrant, B., & Chockalingam, N. (2009). Functional Hallux Limitus. *Journal of the American Podiatric Medical Association*, 99(3), 236–243. <https://doi.org/10.7547/0980236>

Evans, E. L., & Catanzariti, A. R. (n.d.). Forefoot Supinatus. *Clinics in Podiatric Medicine and Surgery*, 31(3), 405–413. <https://doi.org/10.1016/j.cpm.2014.03.009>

Franettovich, M., Chapman, A., & Vicenzino, B. (2008). Tape That Increases Medial Longitudinal Arch Height Also Reduces Leg Muscle Activity. *Medicine & Science in Sports & Exercise*, 40(4), 593–600. <https://doi.org/10.1249/MSS.0b013e318162134f>

Garow, A. P., Papageorgiou, A., Silman, A. J., Thomas, E., Jayson, M. I. V., & Macfarlane, G. J. (2001). The grading of hallux valgus. *Journal of the American Podiatric Association*, 91(2), 74–78. <http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-91-2-74>

Golightly, Y. M., Allen, K. D., Helmick, C. G., Renner, J. B., & Jordan, J. M. (2009). Symptoms of the knee and hip in individuals with and without limb length inequality. *Osteoarthritis and Cartilage*, 17(5), 596–600. <https://doi.org/10.1016/j.joca.2008.11.005>

- Griffiths, I. B., & McEwan, I. M. (2012). Reliability of a New Supination Resistance Measurement Device and Validation of the Manual Supination Resistance Test. *Journal of the American Podiatric Medical Association*, 102(4), 278–289.
<https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/1020278>
- Gurney, B. (2002). Leg length discrepancy. *Gait & Posture*, 15(2), 195–206.
[https://doi.org/10.1016/S0966-6362\(01\)00148-5](https://doi.org/10.1016/S0966-6362(01)00148-5)
- Halstead, J., Chapman, G. J., Gray, J. C., Grainger, A. J., Brown, S., Wilkins, R. A., Roddy, E., Helliwell, P. S., Keenan, A.-M., & Redmond, A. C. (2016). Foot orthoses in the treatment of symptomatic midfoot osteoarthritis using clinical and biomechanical outcomes: a randomised feasibility study. *Clinical Rheumatology*, 35(4), 987–996.
<https://doi.org/10.1007/s10067-015-2946-6>
- Hanada, E., Kirby, R. L., Mitchell, M., & Swuste, J. M. (2001). Measuring leg-length discrepancy by the "iliac crest palpation and book correction" method: Reliability and validity. *Archives of Physical Medicine and Rehabilitation*, 82(7), 938–942.
<https://doi.org/10.1053/apmr.2001.22622>
- Harradine, P., & Bevan, L. (2009). A Review of the Theoretical Unified Approach to Podiatric Biomechanics in Relation to Foot Orthoses Therapy. *Journal of the American Podiatric Medical Association*, 99(4), 317–325. <https://doi.org/10.7547/0980317>
- Harradine, P., Bevan, L., & Carter, N. (n.d.). An overview of podiatric biomechanics theory and its relation to selected gait dysfunction. *Physiotherapy*, 92(2), 122–127.
<https://doi.org/10.1016/j.physio.2005.10.003>
- Harradine, P., Gates, L., & Bowen, C. (2018). If It Doesn't Work, Why Do We Still Do It? The Continuing Use of Subtalar Joint Neutral Theory in the Face of Overpowering Critical Research. *Journal of Orthopaedic & Sports Physical Therapy*, 48(3), 130–132.
<https://doi.org/10.2519/jospt.2018.0604>
- Harvey, W. F., Yang, M., Cooke, T. D. V., Segal, N. A., Lane, N., Lewis, C. E., & Nelson, D. T. (2010). Association of leg-length inequality with knee osteoarthritis a cohort study. *Annals of Internal Medicine*, 152(5), 287–295.
http://ovidsp.tx.ovid.com.ezproxy.aut.ac.nz/sp-3.33.0b/ovidweb.cgi?WebLinkFrameset=1&S=MNKHFPNBKDDOBIPNCDKJGDCKPHLAA00&returnUrl=ovidweb.cgi%3f%26Full%2bText%3dL%257cS.sh.22.23%257c0%257c00000605-201003020-00006%26S%3dMNKHFPNBKDDOBIPNCDKJGDCKPHLAA00&directlink=http%3a%2f%2fovidsp.tx.ovid.com%2fovftpdfs%2fFPDDNCDJCJGIPBK00%2ffs047%2fovft%2flive%2fgv031%2f00000605%2f00000605-201003020-00006.pdf&filename=Association+of+Leg-Length+Inequality+With+Knee+Osteoarthritis%3a+A+Cohort+Study.&pdf_key=FPDDNCDJCJGIPBK00&pdf_index=/fs047/ovft/live/gv031/00000605/00000605-201003020-00006
- Health and Disability Commissioner. (1996). Code of Health and Disability Services Consumers' Rights - Health and Disability Commissioner.
<https://www.hdc.org.nz/your-rights/about-the-code/code-of-health-and-disability-services-consumers-rights/>
- Hicks, J. H. (1954). The mechanics of the foot: II. The plantar aponeurosis and the arch. *Journal of Anatomy*, 88(1), 25–30.
<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1244640/pdf/janat00463-0036.pdf>

- Hoyle, D. A., Latour, M., & Bohannon, R. W. (1991). Intraexaminer, interexaminer, and interdevice comparability of leg length measurements obtained with measuring tape and metrecom. *Journal of Orthopaedic and Sports Physical Therapy*, 14(6), 263–268.
<https://www-jospt-org.ezproxy.aut.ac.nz/doi/pdf/10.2519/jospt.1991.14.6.263>
- Jarvis, H. L., Nester, C. J., Bowden, P. D., & Jones, R. K. (2017). Challenging the foundations of the clinical model of foot function: further evidence that the root model assessments fail to appropriately classify foot function. *Journal of Foot and Ankle Research*, 10(7).
<https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/s13047-017-0189-2?site=jfootankleres.biomedcentral.com>
- Jarvis, H. L., Nester, C. J., Williams, A., & Bowden, P. D. (2012). Inter-assessor reliability of practice based biomechanical assessment of the foot and ankle. *Journal of Foot and Ankle Research*, 5(14).
<https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/1757-1146-5-14?site=jfootankleres.biomedcentral.com>
- Kendall, J. C., Bird, A. R., & Azari, M. F. (2014). Foot posture, leg length discrepancy and low back pain – Their relationship and clinical management using foot orthoses – An overview. *The Foot*, 24(2), 75–80. <https://doi.org/10.1016/j.foot.2014.03.004>
- Kirby, K. A. (1992). The medial heel skive technique. Improving pronation control in foot orthoses. *Journal of the American Podiatric Medical Association*, 82(4), 177–188.
<https://doi.org/10.7547/87507315-82-4-177>
- Kirby, K. A. (2000). Biomechanics of the normal and abnormal foot. *Journal of the American Podiatric Medical Association*, 90(1), 30–34. <https://doi.org/10.7547/87507315-90-1-30>
- Kirby, K. A. (2001). Subtalar Joint Axis Location and Rotational Equilibrium Theory of Foot Function. *Journal of the American Podiatric Medical Association*, 91(9), 465–487.
<https://doi.org/10.7547/87507315-91-9-465>
- Koepsell, T. D., Wolf, M. E., Buchner, D. M., Kukull, W. A., LaCroix, A. Z., Tencer, A. F., Frankenfeld, C. L., Tautvydas, M., & Larson, E. B. (2004). Footwear Style and Risk of Falls in Older Adults. *Journal of the American Geriatrics Society*, 52(9), 1495–1501.
<https://doi.org/10.1111/j.1532-5415.2004.52412.x>
- Kwon, O. Y., Tuttle, L. J., Johnson, J. E., & Mueller, M. J. (2009). Muscle imbalance and reduced ankle joint motion in people with hammer toe deformity. *Clinical Biomechanics*, 24(8), 670–675. <https://doi.org/10.1016/j.clinbiomech.2009.05.010>
- Landorf, K. B., Keenan, A.-M., & Herbert, R. D. (2006). Effectiveness of Foot Orthoses to Treat Plantar Fasciitis. *Archives of Internal Medicine*, 166(12).
<https://doi.org/10.1001/archinte.166.12.1305>
- Levinson, W. (1997). Physician-Patient Communication The Relationship With Malpractice Claims Among Primary Care Physicians and Surgeons. *JAMA: The Journal of the American Medical Association*, 277(7). <https://doi.org/10.1001/jama.1997.03540310051034>
- Maffulli, N., Longo, U. G., Petrillo, S., & Denaro, V. (2012). Management of tendinopathies of the foot and ankle. *Orthopaedics and Trauma*, 26(4), 259–264.
<https://doi.org/10.1016/j.mporth.2012.05.008>

- Mahmood, S., Huffman, L. K., & Harris, J. G. (2010). Limb-length discrepancy as a cause of plantar fasciitis. *Journal of the American Podiatric Medical Association*, 100(6), 452–455. <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/1000452>
- Makoul, G. (2001). The SEGUE Framework for teaching and assessing communication skills. *Patient Education and Counseling*, 45(1), 23–34. [https://doi.org/10.1016/S0738-3991\(01\)00136-7](https://doi.org/10.1016/S0738-3991(01)00136-7)
- Manoli, A., & Graham, B. (2005). The Subtle Cavus Foot, "the Underpronator," a Review. *Foot & Ankle International*, 26(3), 256–263. <https://doi.org/10.1177/107110070502600313>
- McMillan, A. M., Landorf, K. B., Barrett, J. T., Menz, H. B., & Bird, A. R. (2009). Diagnostic imaging for chronic plantar heel pain: a systematic review and meta-analysis. *Journal of Foot and Ankle Research*, 2(32). <https://doi.org/10.1186/1757-1146-2-32>
- McPoil, T. G., & Hunt, G. C. (1995a). Evaluation and Management of Foot and Ankle Disorders: Present Problems and Future Directions. *Foot/Ankle Therapy and Research*, 21(6). <http://www.jospt.org.ezproxy.aut.ac.nz/doi/pdf/10.2519/jospt.1995.21.6.381>
- McPoil, T. G., & Hunt, G. C. (1995b). Evaluation and Management of Foot and Ankle Disorders: Present Problems and Future Directions. *Foot/Ankle Therapy and Research*, 21(6). <http://www.jospt.org.ezproxy.aut.ac.nz/doi/pdf/10.2519/jospt.1995.21.6.381>
- Menz, H. B. (2008). *Foot problems in older people: assessment and management*. Churchill Livingstone. <http://ezproxy.aut.ac.nz/login?url=https://www.sciencedirect.com/science/book/9780080450322>
- Menz, H. B. (2014). Biomechanics of the ageing foot and ankle: A mini-review. *Gerontology*, 61, 381–388. <https://doi.org/10.1159/000368357>
- Menz, H. B. (2015). Biomechanics of the ageing foot and ankle: a mini-review. *Gerontology*, 61(4), 381–388. <https://www-karger-com.ezproxy.aut.ac.nz/Article/PDF/368357>
- Menz, H. B., Auhl, M., Frescos, N., & Munteanu, S. E. (2014). Effectiveness of Off-The-Shelf, Extra-Depth Footwear in Reducing Foot Pain in Older People: A Randomized Controlled Trial. *Rheumatology*, 53(suppl_1), i128–i128. <https://doi.org/10.1093/rheumatology/keu109.001>
- Menz, H. B., Morris, M. E., & Lord, S. R. (2005). Foot and Ankle Characteristics Associated With Impaired Balance and Functional Ability in Older People. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 60(12), 1546–1552. <https://doi.org/10.1093/gerona/60.12.1546>
- Menz, H. B., & Sherrington, C. (2000). The footwear assessment form: a reliable clinical tool to assess footwear characteristics of relevance to postural stability in older adults. *Clinical Rehabilitation*, 14(6), 657–664. <http://journals.sagepub.com.ezproxy.aut.ac.nz/doi/pdf/10.1191/0269215500cr375oa>
- Menz, H. B., Tiedemann, A., Kwan, M. M.-S., Latt, M. D., Sherrington, C., & Lord, S. R. (2003). Reliability of Clinical Tests of Foot and Ankle Characteristics in Older People.

Journal of the American Podiatric Association, 93(5).

<https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-93-5-380>

Menz, H. B., Zammit, G. V., & Munteanu, S. E. (2007). Plantar pressures are higher under callused regions of the foot in older people. *Clinical and Experimental Dermatology*, 32(4), 375–380. <https://doi.org/10.1111/j.1365-2230.2007.02421.x>

Mickle, K. J., Caputi, P., Potter, J. M., & Steele, J. R. (2016). Efficacy of a progressive resistance exercise program to increase toe flexor strength in older people. *Clinical Biomechanics*, 40, 14–19. <https://doi.org/10.1016/j.clinbiomech.2016.10.005>

Mickle, K. J., Munro, B. J., Lord, S. R., Menz, H. B., & Steele, J. R. (2009). ISB Clinical Biomechanics Award 2009. *Clinical Biomechanics*, 24(10), 787–791. <https://doi.org/10.1016/j.clinbiomech.2009.08.011>

Miikkola, M., Lantta, T., Suhonen, R., & Stolt, M. (2019a). Challenges of foot self-care in older people: A qualitative focus-group study. *Journal of Foot and Ankle Research*, 12(1), Article 5. <https://doi.org/10.1186/s13047-019-0315-4>

Miikkola, M., Lantta, T., Suhonen, R., & Stolt, M. (2019b). Challenges of foot self-care in older people: a qualitative focus-group study. *Journal of Foot and Ankle Research*, 12(5). <https://doi.org/10.1186/s13047-019-0315-4>

Munteanu, S. E., Scott, L. A., Bonanno, D. R., Landorf, K. B., Pizzari, T., Cook, J. L., & Menz, H. B. (2015). Effectiveness of customised foot orthoses for achilles tendinopathy: A randomised controlled trial. *British Journal of Sports Medicine*, 49(15), 989–994. <https://doi.org/10.1136/bjsports-2014-093845>

Murley, G. S., Menz, H. B., & Landorf, K. B. (2009). Foot posture influences the electromyographic activity of selected lower limb muscles during gait. *Journal of Foot and Ankle Research*, 2(1). <https://doi.org/10.1186/1757-1146-2-35>

Myerson, M. S., & Shereff, M. J. (1989). The pathological anatomy of claw and hammer toes. *The Journal of Bone and Joint Surgery*, 71A, 45–49. http://ovidsp.tx.ovid.com.ezproxy.aut.ac.nz/sp-3.33.0b/ovidweb.cgi?WebLinkFrameset=1&S=EJCBFPECFGDDOBMHNCCKAGCBPDAA00&returnUrl=ovidweb.cgi%3fMain%2bSearch%2bPage%3d1%26S%3dEJCBFPECFGDDOBMHNCCKAGCBPDAA00&directlink=http%3a%2f%2fovidsp.tx.ovid.com%2fovftpdfs%2fFPDDNCGCCAMHFG00%2ffs046%2fovft%2flive%2fgv023%2f00004623%2f00004623-198971010-00008.pdf&filename=The+pathological+anatomy+of+claw+and+hammer+toes.&navigation_links=NavLinkS.S.sh.22.1&link_from=S.sh.22%7c1&pdf_key=FPDDNCGCCAMHFG00&pdf_index=/fs046/ovft/live/gv023/00004623/00004623-198971010-00008&D=ovft&link_set=S.sh.22|1|sl_10|resultSet|S.sh.22.23|0

Najafi, B., Wrobel, J. S., & Burns, J. (2014). Mechanism of orthotic therapy for the painful cavus foot deformity. *Journal of Foot and Ankle Research*, 7(2). <https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/1757-1146-7-2>

Neal, B. S., Griffiths, I. B., Dowling, G. J., Murley, G. S., Munteanu, S. E., Franettovich Smith, M. M., Collins, N. J., & Barton, C. J. (2014a). Foot posture as a risk factor for lower limb overuse injury: a systematic review and meta-analysis. *Journal of Foot and Ankle Research*,

7(1). <https://doi.org/10.1186/s13047-014-0055-4>

Neal, B. S., Griffiths, I. B., Dowling, G. J., Murley, G. S., Munteanu, S. E., Franettovich Smith, M. M., Collins, N. J., & Barton, C. J. (2014b). Foot posture as a risk factor for lower limb overuse injury: A systematic review and meta-analysis. *Journal of Foot and Ankle Research*, 7(1), Article 55. <https://doi.org/10.1186/s13047-014-0055-4>

Nester, C. J., Jarvis, H. L., Jones, R. K., Bowden, P. D., & Liu, A. (2014). Movement of the human foot in 100 pain free individuals aged 18–45: implications for understanding normal foot function. *Journal of Foot and Ankle Research*, 7(51). <https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/s13047-014-0051-8?site=jfootankleres.biomedcentral.com>

Nix, S. E., Vincenzino, B. T., Collins, N. J., & Smith, M. D. (2013). Gait parameters associated with hallux valgus: a systematic review. *Journal of Foot and Ankle Research*, 6(9). <https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/1757-1146-6-9>

Noakes, H., & Payne, C. (2003). The Reliability of the Manual Supination Resistance Test. *Journal of the American Podiatric Medical Association*, 93(3), 185–189. <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-93-3-185>

Ohberg, L., Lorentzon, R., & Alfredson, H. (2004). Eccentric training in patients with chronic Achilles tendinosis: normalised tendon structure and decreased thickness at follow up * Commentary. *British Journal of Sports Medicine*, 38(1), 8–11. <https://doi.org/10.1136/bjsm.2001.000284>

Okita, N., Meyers, S. A., Challis, J. H., & Sharkey, N. A. (2013). Midtarsal joint locking: New perspectives on an old paradigm. *Journal of Orthopaedic Research*, 32(1), 110–115. <https://onlinelibrary-wiley-com.ezproxy.aut.ac.nz/doi/full/10.1002/jor.22477>

Podiatrists Board of New Zealand. (2019). Principles and Standards for the Practice of Podiatry in New Zealand. <https://www.podiatristsboard.org.nz/Portals/0/Podiatrists%20Board%20draft%20PSPNZ%20CONSULTATION%208.2.19.pdf?ver=2019-02-08-115011-100>

Radford, J. A., Landorf, K. B., Buchbinder, R., & Cook, C. (2006). Effectiveness of low-dye taping for the short-term treatment of plantar heel pain: A randomised trial. *BMC Musculoskeletal Disorders*, 7(1). <https://doi.org/10.1186/1471-2474-7-64>

Ranjan, P. (2015). How can Doctors Improve their Communication Skills? *Journal of Clinical and Diagnostic Research*, 9(3). <https://doi.org/10.7860/JCDR/2015/12072.5712>

Redmond, A. C., Crane, Y. Z., & Menz, H. B. (2008). Normative values for the foot posture index. *Journal of Foot and Ankle Research*, 1(6). <https://doi.org/10.1186/1757-1146-1-6>

Ross, M. (2002a). Use of the Tissue Stress Model as a Paradigm for Developing an Examination and Management Plan for a Patient with Plantar Fasciitis. *Journal of the American Podiatric Medical Association*, 92(9), 499–506. <https://doi.org/10.7547/87507315-92-9-499>

Ross, M. (2002b). Use of the Tissue Stress Model as a Paradigm for Developing an Examination and Management Plan for a Patient with Plantar Fasciitis. *Journal of the American Podiatric Medical Association*, 92(9), 499–506.
<https://doi.org/10.7547/87507315-92-9-499>

Roster, B., Michelier, P., & Giza, E. (2015). Peroneal tendon disorders. *Clinics in Sports Medicine*, 34(4), 625–641.
<https://www-clinicalkey-com-au.ezproxy.aut.ac.nz/playContent/1-s2.0-S0278591915000460>

Rothbart, B. A. (2006). Relationship of functional leg-length discrepancy to abnormal pronation. *Journal of the American Podiatric Medical Association*, 96(6).
https://www.researchgate.net/profile/Brian_Rothbart/publication/6682509_Relationship_of_Functional_Leg-Length_Discrepancy_to_Abnormal_Pronation/links/54295d0c0cf2e4ce940d1115.pdf

Roy, K. J., & Scherer, P. (1986). Forefoot Supinatus. *Journal of the American Podiatric Association*, 76(7), 390–394.
<http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/abs/10.7547/87507315-76-7-390>

Sabharwal, S., & Kumar, A. (2008). Methods for assessing leg length discrepancy. *Clinical Orthopaedics and Related Research*, 466(12), 2910–2922.
<https://doi.org/10.1007/s11999-008-0524-9>

Scott, G., Menz, H. B., & Newcombe, L. (2007a). Age-related differences in foot structure and function. *Gait & Posture*, 26(1), 68–75. <https://doi.org/10.1016/j.gaitpost.2006.07.009>

Scott, G., Menz, H. B., & Newcombe, L. (2007b). Age-related differences in foot structure and function. *Gait & Posture*, 26(1), 68–75. <https://doi.org/10.1016/j.gaitpost.2006.07.009>

Statistics New Zealand. (2013). 2013 Census QuickStats about people aged 65 and over. <http://archive.stats.govt.nz/Census/2013-census/profile-and-summary-reports/quickstats-65-plus.aspx>

Statler, T. K., & Tullis, B. L. (2005). Pes cavus. *Journal of the American Podiatric Association*, 95(1). <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/0950042>

Thomas, J. L., Blitch, E. L., Chaney, D. M., Dinucci, K. A., Eickmeier, K., Rubin, L. G., Stapp, M. D., & Vanore, J. V. (2009a). Diagnosis and Treatment of Forefoot Disorders. Section 1: Digital Deformities. *The Journal of Foot and Ankle Surgery*, 48(2), 230–238.
<https://doi.org/10.1053/j.jfas.2008.12.003>

Thomas, J. L., Blitch, E. L., Chaney, D. M., Dinucci, K. A., Eickmeier, K., Rubin, L. G., Stapp, M. D., & Vanore, J. V. (2009b). Diagnosis and Treatment of Forefoot Disorders. Section 3. Morton's Intermetatarsal Neuroma. *The Journal of Foot and Ankle Surgery*, 48(2), 251–256.
<https://doi.org/10.1053/j.jfas.2008.12.005>

Thomas, J. L., Blitch, E. L., Chaney, D. M., Dinucci, K. A., Eickmeier, K., Rubin, L. G., Stapp, M. D., & Vanore, J. V. (2009c). Diagnosis and Treatment of Forefoot Disorders. Section 4. Tailor's Bunion. *The Journal of Foot and Ankle Surgery*, 48(2), 257–263.

<https://doi.org/10.1053/j.jfas.2008.12.006>

Thomas, J. L., Blitch, E. L., Chaney, D. M., Dinucci, K. A., Eickmeier, K., Rubin, L. G., Stapp, M. D., & Vanore, J. V. (2009d). Diagnosis and Treatment of Forefoot Disorders. Section 2. Central Metatarsalgia. *The Journal of Foot and Ankle Surgery*, 48(2), 239–250. <https://doi.org/10.1053/j.jfas.2008.12.004>

Tiberio, D. (1988). Pathomechanics of structural foot deformities. *Physical Therapy*, 68(12), 1840–1849. <https://pdfs.semanticscholar.org/8995/f935f817c4bbe6d5053165982fa93f09501a.pdf>

Torkki, M., Malmivaara, A., Seitsalo, S., Hoikka, V., Laippala, P., & Paavolainen, P. (2001). Surgery vs Orthosis vs Watchful Waiting for Hallux Valgus. *JAMA*, 285(19), 2474–2480. <https://doi.org/10.1001/jama.285.19.2474>

Vaishya, R., Kumar, V., Agarwal, A. K., & Vijay, V. (2016). Spontaneous osteonecrosis of navicular and talus (SONNT). *Journal of Clinical Orthopaedics and Trauma*, 7, 83–87. <https://doi.org/10.1016/j.jcot.2016.06.005>

Vicenzino, B., Franettovich, M., McPoil, T., Russell, T., & Skardoon, G. (2005). Initial effects of anti-pronation tape on the medial longitudinal arch during walking and running. *British Journal of Sports Medicine*, 39(12), 939–943. <https://doi.org/10.1136/bjsm.2005.019158>

Vinicombe, A., Raspovic, A., & Menz, H. B. (2001). Reliability of navicular displacement measurement as a clinical indicator of foot posture. *Journal of the American Podiatric Medical Association*, 91(5), 262–268. <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-91-5-262>

Walsh, M., Connolly, P., Jenkinson, A., & O'Brien, T. (2000). Leg length discrepancy — an experimental study of compensatory changes in three dimensions using gait analysis. *Gait & Posture*, 12(2), 156–161. [https://doi.org/10.1016/S0966-6362\(00\)00067-9](https://doi.org/10.1016/S0966-6362(00)00067-9)

Wegener, C., Burns, J., Penkala, S., & Sc, G. D. E. S. (2008). Effect of Neutral-Cushioned Running Shoes on Plantar Pressure Loading and Comfort in Athletes with Cavus Feet. *The American Journal of Sports Medicine*, 36(11), 2139–2146. <https://doi.org/10.1177/0363546508318191>

Whitaker, J. M., Augustus, K., & Ishii, S. (2003). Effect of the low-dye strap on pronation-sensitive mechanical attributes of the foot. *Journal of the American Podiatric Medical Association*, 93(2), 118–123. <https://doi.org/10.7547/87507315-93-2-118>