

PODY604 - Musculoskeletal Podiatry II

[View Online](#)

Alfredson, H. et al. (1998) 'Heavy-Load Eccentric Calf Muscle Training For the Treatment of Chronic Achilles Tendinosis', *The American Journal of Sports Medicine*, 26(3), pp. 360–366. Available at: <https://doi.org/10.1177/03635465980260030301>.

Australian and New Zealand Podiatry Accreditation Council (2015) 'Podiatry Competency Standards for Australia and New Zealand'. Available at: <https://www.podiatristsboard.org.nz/Portals/0/Uploads/PBNZ.%20%20ANZPAC%20Podiatry%20Competency%20Standards%206.9.15.pdf?ver=2016-08-15-115752-873>.

Beckett, M.E. et al. (1992) 'Incidence of hyperpronation in the ACL injured knee: a clinical perspective', *Journal of Athletic Training*, 27(1). Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1317132/pdf/jathtrain00033-0060.pdf>.

Beeson, P. (2014) 'Plantar fasciopathy: Revisiting the risk factors', *Foot and Ankle Surgery*, 20(3), pp. 160–165. Available at: <https://www-clinicalkey-com-au.ezproxy.aut.ac.nz/playContent/1-s2.0-S126877311400040X>.

Bennell, K. et al. (1998) 'Intra-rater and inter-rater reliability of a weight-bearing lunge measure of ankle dorsiflexion', *Australian Journal of Physiotherapy*, 44(3), pp. 175–180. Available at: [https://doi.org/10.1016/S0004-9514\(14\)60377-9](https://doi.org/10.1016/S0004-9514(14)60377-9).

Bennell, K.L. et al. (1996) 'Risk Factors for Stress Fractures in Track and Field Athletes', *The American Journal of Sports Medicine*, 24(6), pp. 810–818. Available at: <https://doi.org/10.1177/036354659602400617>.

Biesecker, L.G. et al. (2009) 'Elements of morphology: Standard terminology for the hands and feet', *American Journal of Medical Genetics Part A*, 149A(1), pp. 93–127. Available at: <https://doi.org/10.1002/ajmg.a.32596>.

Bloedel, P.K. and Hauger, B. (1995) 'The effects of limb length discrepancy on subtalar joint kinematics during running', *Journal of Orthopaedic & Sports Physical Therapy*, 22(2), pp. 60–64. Available at: <https://doi.org/10.2519/jospt.1995.22.2.60>.

Bojsen-Moller, F. (1979) 'Calcaneocuboid joint and stability of the longitudinal arch of the foot at high and low gear push off', *Journal of Anatomy*, 129(1), pp. 165–176. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1233091/pdf/janat00237-0169.pdf>.

Brady, R.J. et al. (2003) 'Limb length inequality: clinical implications for assessment and intervention', *Journal of Orthopaedic & Sports Physical Therapy*, 33(5), pp. 221–234. Available at: <https://www-jospt-org.ezproxy.aut.ac.nz/doi/pdf/10.2519/jospt.2003.33.5.221>.

Bramhall, E. (2014) 'Effective communication skills in nursing practice', *Nursing Standard*, 29(14), pp. 53–59. Available at: <https://journals-rcni-com.ezproxy.aut.ac.nz/doi/pdf/10.7748/ns.29.14.53.e9355>.

Bruening, D.A. et al. (2018) 'Midtarsal locking, the windlass mechanism, and running strike pattern: A kinematic and kinetic assessment', *Journal of Biomechanics*, 73, pp. 185–191. Available at: <https://www-clinicalkey-com-au.ezproxy.aut.ac.nz/playContent/1-s2.0-S0021929018302744>.

Buldt, A.K. et al. (2013a) 'The relationship between foot posture and lower limb kinematics during walking: A systematic review', *Gait & Posture*, 38(3), pp. 363–372. Available at: <https://doi.org/10.1016/j.gaitpost.2013.01.010>.

Buldt, A.K. et al. (2013b) 'The relationship between foot posture and lower limb kinematics during walking: A systematic review', *Gait & Posture*, 38(3), pp. 363–372. Available at: <https://doi.org/10.1016/j.gaitpost.2013.01.010>.

Buldt, A.K. et al. (2018) 'Centre of pressure in normal, planus and cavus feet', *Journal of Foot and Ankle Research*, 11(1). Available at: <https://link-springer-com.ezproxy.aut.ac.nz/article/10.1186/s13047-018-0245-6>.

Burnfield, J.M. et al. (2004) 'The influence of walking speed and footwear on plantar pressures in older adults', *Clinical Biomechanics*, 19(1), pp. 78–84. Available at: <https://doi.org/10.1016/j.clinbiomech.2003.09.007>.

Burns, J. et al. (2006) 'Effective Orthotic Therapy for the Painful Cavus Foot: A Randomized Controlled Trial', *Journal of the American Podiatric Association*, 96(3), pp. 205–211. Available at: <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/0960205>.

Burns, J. et al. (2007) 'Interventions for the prevention and treatment of pes cavus', *Cochrane Database of Systematic Reviews* [Preprint], (4). Available at: <https://doi.org/10.1002/14651858.CD006154.pub2>.

Butterworth, P.A. et al. (2014) 'The association between body composition and foot structure and function: a systematic review', *Obesity Reviews*, 15(4), pp. 348–357. Available at: <https://doi.org/10.1111/obr.12130>.

Charles, J., Scutter, S.D. and Buckley, J. (2010) 'Static Ankle Joint Equinus', *Journal of the American Podiatric Medical Association*, 100(3), pp. 195–203. Available at: <https://doi.org/10.7547/1000195>.

Chilvers, M. and Manoli, A. (2008) 'The Subtle Cavus Foot and Association with Ankle Instability and Lateral Foot Overload', *Foot and Ankle Clinics*, 13(2), pp. 315–324. Available at: <https://doi.org/10.1016/j.fcl.2008.01.003>.

Cook, J.L. and Purdam, C.R. (2009) 'Is tendon pathology a continuum? A pathology model to explain the clinical presentation of load-induced tendinopathy', *British Journal of Sports Medicine*, 43(6), pp. 409–416. Available at: <https://doi.org/10.1136/bjsm.2008.051193>.

- Cooperstein, R., Haneline, M. and Young, M. (2007) 'Mathematical modeling of the so-called Allis test: a field study in orthopedic confusion', *Chiropractic & Osteopathy*, 15(1). Available at: <https://doi.org/10.1186/1746-1340-15-3>.
- Dananberg, H. (1993) 'Gait style as an etiology to chronic postural pain. Part II. Postural compensatory process', *Journal of the American Podiatric Medical Association*, 83(11), pp. 615–624. Available at: <https://doi.org/10.7547/87507315-83-11-615>.
- Dananberg, H.J. (1993) 'Gait Style as an Etiology to Chronic Postural Pain. Part I. Functional Hallux Limitus', *Journal of the American Podiatric Medical Association*, 83(8), pp. 433–441. Available at: <http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/abs/10.7547/87507315-83-8-433>.
- Dananberg, H.J. (2000a) 'Sagittal Plane Biomechanics', *Journal of the American Podiatric Medical Association*, 90(1), pp. 47–50. Available at: <http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-90-1-47>.
- Dananberg, H.J. (2000b) 'Sagittal Plane Biomechanics', *Journal of the American Podiatric Medical Association*, 90(1), pp. 47–50. Available at: <http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-90-1-47>.
- Desai, S.N., Grierson, R. and Manoli, A. (2010) 'The Cavus Foot in Athletes: Fundamentals of Examination and Treatment', *Operative Techniques in Sports Medicine*, 18(1), pp. 27–33. Available at: <https://doi.org/10.1053/j.otsm.2009.10.002>.
- Drake, R.L., Vogl, W. and Mitchell, A.W.M. (2021) *Gray's atlas of anatomy*. 3rd edn. Amsterdam: Elsevier. Available at: <https://www-clinicalkey-com-au.ezproxy.aut.ac.nz/nursing/dura/browse/bookChapter/3-s2.0-C20170039332>.
- Durrant, B. and Chockalingam, N. (2009) 'Functional Hallux Limitus', *Journal of the American Podiatric Medical Association*, 99(3), pp. 236–243. Available at: <https://doi.org/10.7547/0980236>.
- Evans, E.L. and Catanzariti, A.R. (no date) 'Forefoot Supinatus', *Clinics in Podiatric Medicine and Surgery*, 31(3), pp. 405–413. Available at: <https://doi.org/10.1016/j.cpm.2014.03.009>.
- Franettovich, M., Chapman, A. and Vicenzino, B. (2008) 'Tape That Increases Medial Longitudinal Arch Height Also Reduces Leg Muscle Activity', *Medicine & Science in Sports & Exercise*, 40(4), pp. 593–600. Available at: <https://doi.org/10.1249/MSS.0b013e318162134f>.
- Garow, A.P. et al. (2001) 'The grading of hallux valgus', *Journal of the American Podiatric Association*, 91(2), pp. 74–78. Available at: <http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-91-2-74>.
- Golightly, Y.M. et al. (2009) 'Symptoms of the knee and hip in individuals with and without limb length inequality', *Osteoarthritis and Cartilage*, 17(5), pp. 596–600. Available at: <https://doi.org/10.1016/j.joca.2008.11.005>.
- Griffiths, I.B. and McEwan, I.M. (2012) 'Reliability of a New Supination Resistance

Measurement Device and Validation of the Manual Supination Resistance Test', Journal of the American Podiatric Medical Association, 102(4), pp. 278–289. Available at: <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/1020278>.

Gurney, B. (2002) 'Leg length discrepancy', Gait & Posture, 15(2), pp. 195–206. Available at: [https://doi.org/10.1016/S0966-6362\(01\)00148-5](https://doi.org/10.1016/S0966-6362(01)00148-5).

Halstead, J. et al. (2016) 'Foot orthoses in the treatment of symptomatic midfoot osteoarthritis using clinical and biomechanical outcomes: a randomised feasibility study', Clinical Rheumatology, 35(4), pp. 987–996. Available at: <https://doi.org/10.1007/s10067-015-2946-6>.

Hanada, E. et al. (2001) 'Measuring leg-length discrepancy by the "iliac crest palpation and book correction" method: Reliability and validity', Archives of Physical Medicine and Rehabilitation, 82(7), pp. 938–942. Available at: <https://doi.org/10.1053/apmr.2001.22622>.

Harradine, P. and Bevan, L. (2009) 'A Review of the Theoretical Unified Approach to Podiatric Biomechanics in Relation to Foot Orthoses Therapy', Journal of the American Podiatric Medical Association, 99(4), pp. 317–325. Available at: <https://doi.org/10.7547/0980317>.

Harradine, P., Bevan, L. and Carter, N. (no date) 'An overview of podiatric biomechanics theory and its relation to selected gait dysfunction', Physiotherapy, 92(2), pp. 122–127. Available at: <https://doi.org/10.1016/j.physio.2005.10.003>.

Harradine, P., Gates, L. and Bowen, C. (2018) 'If It Doesn't Work, Why Do We Still Do It? The Continuing Use of Subtalar Joint Neutral Theory in the Face of Overpowering Critical Research', Journal of Orthopaedic & Sports Physical Therapy, 48(3), pp. 130–132. Available at: <https://doi.org/10.2519/jospt.2018.0604>.

Harvey, W.F. et al. (2010) 'Association of leg-length inequality with knee osteoarthritis a cohort study', Annals of Internal Medicine, 152(5), pp. 287–295. Available at: http://ovidsp.tx.ovid.com.ezproxy.aut.ac.nz/sp-3.33.0b/ovidweb.cgi?WebLinkFrameset=1&S=MNKHFPNBBKDDOBIPNCDKJGDCKPHLAA00&returnUrl=ovidweb.cgi%3f%26Full%2bText%3dL%257cS.sh.22.23%257c0%257c00000605-201003020-00006%26S%3dMNKHFPNBBKDDOBIPNCDKJGDCKPHLAA00&directlink=http%3a%2f%2fovovidsp.tx.ovid.com%2fovftpdfs%2fFPDDNCDJCJGIPBK00%2ffs047%2fovft%2flive%2fgv031%2f00000605%2f00000605-201003020-00006.pdf&filename=Association+of+Leg-Length+Inequality+With+Knee+Osteoarthritis%3a+A+Cohort+Study.&pdf_key=FPDDNCDJCJGIPBK00&pdf_index=/fs047/ovft/live/gv031/00000605/00000605-201003020-00006.

Health and Disability Commissioner (1996) 'Code of Health and Disability Services Consumers' Rights - Health and Disability Commissioner'. Available at: <https://www.hdc.org.nz/your-rights/about-the-code/code-of-health-and-disability-services-consumers-rights/>.

Hicks, J.H. (1954) 'The mechanics of the foot: II. The plantar aponeurosis and the arch', Journal of Anatomy, 88(1), pp. 25–30. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1244640/pdf/janat00463-0036.pdf>.

Hoyle, D.A., Latour, M. and Bohannon, R.W. (1991) 'Intraexaminer, interexaminer, and

- interdevice comparability of leg length measurements obtained with measuring tape and metrecom', *Journal of Orthopaedic and Sports Physical Therapy*, 14(6), pp. 263–268. Available at: <https://www-jospt-org.ezproxy.aut.ac.nz/doi/pdf/10.2519/jospt.1991.14.6.263>.
- Jarvis, H.L. et al. (2012) 'Inter-assessor reliability of practice based biomechanical assessment of the foot and ankle', *Journal of Foot and Ankle Research*, 5(14). Available at: <https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/1757-1146-5-14?site=jfootankleres.biomedcentral.com>.
- Jarvis, H.L. et al. (2017) 'Challenging the foundations of the clinical model of foot function: further evidence that the root model assessments fail to appropriately classify foot function', *Journal of Foot and Ankle Research*, 10(7). Available at: <https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/s13047-017-0189-2?site=jfootankleres.biomedcentral.com>.
- Kendall, J.C., Bird, A.R. and Azari, M.F. (2014) 'Foot posture, leg length discrepancy and low back pain – Their relationship and clinical management using foot orthoses – An overview', *The Foot*, 24(2), pp. 75–80. Available at: <https://doi.org/10.1016/j.foot.2014.03.004>.
- Kirby, K.A. (1992) 'The medial heel skive technique. Improving pronation control in foot orthoses', *Journal of the American Podiatric Medical Association*, 82(4), pp. 177–188. Available at: <https://doi.org/10.7547/87507315-82-4-177>.
- Kirby, K.A. (2000) 'Biomechanics of the normal and abnormal foot', *Journal of the American Podiatric Medical Association*, 90(1), pp. 30–34. Available at: <https://doi.org/10.7547/87507315-90-1-30>.
- Kirby, K.A. (2001) 'Subtalar Joint Axis Location and Rotational Equilibrium Theory of Foot Function', *Journal of the American Podiatric Medical Association*, 91(9), pp. 465–487. Available at: <https://doi.org/10.7547/87507315-91-9-465>.
- Koepsell, T.D. et al. (2004) 'Footwear Style and Risk of Falls in Older Adults', *Journal of the American Geriatrics Society*, 52(9), pp. 1495–1501. Available at: <https://doi.org/10.1111/j.1532-5415.2004.52412.x>.
- Kwon, O.Y. et al. (2009) 'Muscle imbalance and reduced ankle joint motion in people with hammer toe deformity', *Clinical Biomechanics*, 24(8), pp. 670–675. Available at: <https://doi.org/10.1016/j.clinbiomech.2009.05.010>.
- Landorf, K.B., Keenan, A.-M. and Herbert, R.D. (2006) 'Effectiveness of Foot Orthoses to Treat Plantar Fasciitis', *Archives of Internal Medicine*, 166(12). Available at: <https://doi.org/10.1001/archinte.166.12.1305>.
- Levinson, W. (1997) 'Physician-Patient CommunicationThe Relationship With Malpractice Claims Among Primary Care Physicians and Surgeons', *JAMA: The Journal of the American Medical Association*, 277(7). Available at: <https://doi.org/10.1001/jama.1997.03540310051034>.
- Maffulli, N. et al. (2012) 'Management of tendinopathies of the foot and ankle', *Orthopaedics and Trauma*, 26(4), pp. 259–264. Available at: <https://doi.org/10.1016/j.mporth.2012.05.008>.

- Mahmood, S., Huffman, L.K. and Harris, J.G. (2010) 'Limb-length discrepancy as a cause of plantar fasciitis', *Journal of the American Podiatric Medical Association*, 100(6), pp. 452–455. Available at: <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/1000452>.
- Makoul, G. (2001) 'The SEGUE Framework for teaching and assessing communication skills', *Patient Education and Counseling*, 45(1), pp. 23–34. Available at: [https://doi.org/10.1016/S0738-3991\(01\)00136-7](https://doi.org/10.1016/S0738-3991(01)00136-7).
- Manoli, A. and Graham, B. (2005) 'The Subtle Cavus Foot, "the Underpronator," a Review', *Foot & Ankle International*, 26(3), pp. 256–263. Available at: <https://doi.org/10.1177/107110070502600313>.
- McMillan, A.M. et al. (2009) 'Diagnostic imaging for chronic plantar heel pain: a systematic review and meta-analysis', *Journal of Foot and Ankle Research*, 2(32). Available at: <https://doi.org/10.1186/1757-1146-2-32>.
- McPoil, T.G. and Hunt, G.C. (1995a) 'Evaluation and Management of Foot and Ankle Disorders: Present Problems and Future Directions', *Foot/Ankle Therapy and Research*, 21(6). Available at: <http://www.jospt.org.ezproxy.aut.ac.nz/doi/pdf/10.2519/jospt.1995.21.6.381>.
- McPoil, T.G. and Hunt, G.C. (1995b) 'Evaluation and Management of Foot and Ankle Disorders: Present Problems and Future Directions', *Foot/Ankle Therapy and Research*, 21(6). Available at: <http://www.jospt.org.ezproxy.aut.ac.nz/doi/pdf/10.2519/jospt.1995.21.6.381>.
- Menz, H.B. et al. (2003) 'Reliability of Clinical Tests of Foot and Ankle Characteristics in Older People', *Journal of the American Podiatric Association*, 93(5). Available at: <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-93-5-380>.
- Menz, H.B. (2008) *Foot problems in older people: assessment and management*. Edinburgh: Churchill Livingstone. Available at: <http://ezproxy.aut.ac.nz/login?url=https://www.sciencedirect.com/science/book/9780080450322>.
- Menz, H.B. (2014) 'Biomechanics of the ageing foot and ankle: A mini-review', *Gerontology*, 61, pp. 381–388. Available at: <https://doi.org/10.1159/000368357>.
- Menz, H.B. et al. (2014) 'Effectiveness of Off-The-Shelf, Extra-Depth Footwear in Reducing Foot Pain in Older People: A Randomized Controlled Trial', *Rheumatology*, 53(suppl_1), pp. i128–i128. Available at: <https://doi.org/10.1093/rheumatology/keu109.001>.
- Menz, H.B. (2015) 'Biomechanics of the ageing foot and ankle: a mini-review', *Gerontology*, 61(4), pp. 381–388. Available at: <https://www-karger-com.ezproxy.aut.ac.nz/Article/PDF/368357>.
- Menz, H.B., Morris, M.E. and Lord, S.R. (2005) 'Foot and Ankle Characteristics Associated With Impaired Balance and Functional Ability in Older People', *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences*, 60(12), pp. 1546–1552. Available at: <https://doi.org/10.1093/gerona/60.12.1546>.

- Menz, H.B. and Sherrington, C. (2000) 'The footwear assessment form: a reliable clinical tool to assess footwear characteristics of relevance to postural stability in older adults', *Clinical Rehabilitation*, 14(6), pp. 657–664. Available at: <http://journals.sagepub.com.ezproxy.aut.ac.nz/doi/pdf/10.1191/0269215500cr375oa>.
- Menz, H.B., Zammit, G.V. and Munteanu, S.E. (2007) 'Plantar pressures are higher under callused regions of the foot in older people', *Clinical and Experimental Dermatology*, 32(4), pp. 375–380. Available at: <https://doi.org/10.1111/j.1365-2230.2007.02421.x>.
- Mickle, K.J. et al. (2009) 'ISB Clinical Biomechanics Award 2009', *Clinical Biomechanics*, 24(10), pp. 787–791. Available at: <https://doi.org/10.1016/j.clinbiomech.2009.08.011>.
- Mickle, K.J. et al. (2016) 'Efficacy of a progressive resistance exercise program to increase toe flexor strength in older people', *Clinical Biomechanics*, 40, pp. 14–19. Available at: <https://doi.org/10.1016/j.clinbiomech.2016.10.005>.
- Miikkola, M., Lantta, T., Suhonen, Ritta, et al. (2019) 'Challenges of foot self-care in older people: A qualitative focus-group study', *Journal of Foot and Ankle Research*, 12(1). Available at: <https://doi.org/10.1186/s13047-019-0315-4>.
- Miikkola, M., Lantta, T., Suhonen, Riitta, et al. (2019) 'Challenges of foot self-care in older people: a qualitative focus-group study', *Journal of Foot and Ankle Research*, 12(5). Available at: <https://doi.org/10.1186/s13047-019-0315-4>.
- Munteanu, S.E. et al. (2015) 'Effectiveness of customised foot orthoses for achilles tendinopathy: A randomised controlled trial', *British Journal of Sports Medicine*, 49(15), pp. 989–994. Available at: <https://doi.org/10.1136/bjsports-2014-093845>.
- Murley, G.S., Menz, H.B. and Landorf, K.B. (2009) 'Foot posture influences the electromyographic activity of selected lower limb muscles during gait', *Journal of Foot and Ankle Research*, 2(1). Available at: <https://doi.org/10.1186/1757-1146-2-35>.
- Myerson, M.S. and Shereff, M.J. (1989) 'The pathological anatomy of claw and hammer toes', *The Journal of Bone and Joint Surgery*, 71A, pp. 45–49. Available at: http://ovidsp.tx.ovid.com.ezproxy.aut.ac.nz/sp-3.33.0b/ovidweb.cgi?WebLinkFrameset=1&S=EJCBFPECFGDDOBMHNCDKCAGCBPDIAA00&returnUrl=ovidweb.cgi%3fMain%2bSearch%2bPage%3d1%26S%3dEJCBFPECFGDDOBMHNCDKCAGCBPDIAA00&directlink=http%3a%2f%2fovidsp.tx.ovid.com%2fovftpdfs%2fFPDDNCGCCAMHFG00%2ffs046%2fovft%2flive%2fgv023%2f00004623%2f00004623-198971010-00008.pdf&filename=The+pathological+anatomy+of+claw+and+hammer+toes.&navigation_links=NavLinkS.S.sh.22.1&link_from=S.sh.22%7c1&pdf_key=FPDDNCGCCAMHFG00&pdf_index=/fs046/ovft/live/gv023/00004623/00004623-198971010-00008&D=ovft&link_set=S.sh.22|1|sl_10|resultSet|S.sh.22.23|0.
- Najafi, B., Wrobel, J.S. and Burns, J. (2014) 'Mechanism of orthotic therapy for the painful cavus foot deformity', *Journal of Foot and Ankle Research*, 7(2). Available at: <https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/1757-1146-7-2>.
- Neal, Bradley S et al. (2014) 'Foot posture as a risk factor for lower limb overuse injury: a systematic review and meta-analysis', *Journal of Foot and Ankle Research*, 7(1). Available at: <https://doi.org/10.1186/s13047-014-0055-4>.

- Neal, Bradley S. et al. (2014) 'Foot posture as a risk factor for lower limb overuse injury: A systematic review and meta-analysis', *Journal of Foot and Ankle Research*, 7(1). Available at: <https://doi.org/10.1186/s13047-014-0055-4>.
- Nester, C.J. et al. (2014) 'Movement of the human foot in 100 pain free individuals aged 18–45: implications for understanding normal foot function', *Journal of Foot and Ankle Research*, 7(51). Available at: <https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/s13047-014-0051-8?site=jfootankleres.biomedcentral.com>.
- Nix, S.E. et al. (2013) 'Gait parameters associated with hallux valgus: a systematic review', *Journal of Foot and Ankle Research*, 6(9). Available at: <https://jfootankleres-biomedcentral-com.ezproxy.aut.ac.nz/track/pdf/10.1186/1757-1146-6-9>.
- Noakes, H. and Payne, C. (2003) 'The Reliability of the Manual Supination Resistance Test', *Journal of the American Podiatric Medical Association*, 93(3), pp. 185–189. Available at: <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-93-3-185>.
- Ohberg, L., Lorentzon, R. and Alfredson, H. (2004) 'Eccentric training in patients with chronic Achilles tendinosis: normalised tendon structure and decreased thickness at follow up * Commentary', *British Journal of Sports Medicine*, 38(1), pp. 8–11. Available at: <https://doi.org/10.1136/bjsm.2001.000284>.
- Okita, N. et al. (2013) 'Midtarsal joint locking: New perspectives on an old paradigm', *Journal of Orthopaedic Research*, 32(1), pp. 110–115. Available at: <https://onlinelibrary-wiley-com.ezproxy.aut.ac.nz/doi/full/10.1002/jor.22477>.
- Podiatrists Board of New Zealand (2019) 'Principles and Standards for the Practice of Podiatry in New Zealand'. Available at: <https://www.podiatristsboard.org.nz/Portals/0/Podiatrists%20Board%20draft%20PSPNZ%20CONSULTATION%208.2.19.pdf?ver=2019-02-08-115011-100>.
- Radford, J.A. et al. (2006) 'Effectiveness of low-dye taping for the short-term treatment of plantar heel pain: A randomised trial', *BMC Musculoskeletal Disorders*, 7(1). Available at: <https://doi.org/10.1186/1471-2474-7-64>.
- Ranjan, P. (2015) 'How can Doctors Improve their Communication Skills?', *Journal of Clinical and Diagnostic Research*, 9(3). Available at: <https://doi.org/10.7860/JCDR/2015/12072.5712>.
- Redmond, A.C., Crane, Y.Z. and Menz, H.B. (2008) 'Normative values for the foot posture index', *Journal of Foot and Ankle Research*, 1(6). Available at: <https://doi.org/10.1186/1757-1146-1-6>.
- Ross, M. (2002a) 'Use of the Tissue Stress Model as a Paradigm for Developing an Examination and Management Plan for a Patient with Plantar Fasciitis', *Journal of the American Podiatric Medical Association*, 92(9), pp. 499–506. Available at: <https://doi.org/10.7547/87507315-92-9-499>.
- Ross, M. (2002b) 'Use of the Tissue Stress Model as a Paradigm for Developing an Examination and Management Plan for a Patient with Plantar Fasciitis', *Journal of the*

American Podiatric Medical Association, 92(9), pp. 499–506. Available at: <https://doi.org/10.7547/87507315-92-9-499>.

Roster, B., Michelier, P. and Giza, E. (2015) 'Peroneal tendon disorders', *Clinics in Sports Medicine*, 34(4), pp. 625–641. Available at: <https://www-clinicalkey-com-au.ezproxy.aut.ac.nz/playContent/1-s2.0-S0278591915000460>.

Rothbart, B.A. (2006) 'Relationship of functional leg-length discrepancy to abnormal pronation', *Journal of the American Podiatric Medical Association*, 96(6). Available at: https://www.researchgate.net/profile/Brian_Rothbart/publication/6682509_Relationship_of_Functional_Leg-Length_Discrepancy_to_Abnormal_Pronation/links/54295d0c0cf2e4ce940d1115.pdf.

Roy, K.J. and Scherer, P. (1986) 'Forefoot Supinatus', *Journal of the American Podiatric Association*, 76(7), pp. 390–394. Available at: <http://www.japmaonline.org.ezproxy.aut.ac.nz/doi/abs/10.7547/87507315-76-7-390>.

Sabharwal, S. and Kumar, A. (2008) 'Methods for assessing leg length discrepancy', *Clinical Orthopaedics and Related Research*, 466(12), pp. 2910–2922. Available at: <https://doi.org/10.1007/s11999-008-0524-9>.

Scott, G., Menz, H.B. and Newcombe, L. (2007a) 'Age-related differences in foot structure and function', *Gait & Posture*, 26(1), pp. 68–75. Available at: <https://doi.org/10.1016/j.gaitpost.2006.07.009>.

Scott, G., Menz, H.B. and Newcombe, L. (2007b) 'Age-related differences in foot structure and function', *Gait & Posture*, 26(1), pp. 68–75. Available at: <https://doi.org/10.1016/j.gaitpost.2006.07.009>.

Statistics New Zealand (2013) 2013 Census QuickStats about people aged 65 and over. Available at: <http://archive.stats.govt.nz/Census/2013-census/profile-and-summary-reports/quickstats-65-plus.aspx>.

Statler, T.K. and Tullis, B.L. (2005) 'Pes cavus', *Journal of the American Podiatric Association*, 95(1). Available at: <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/0950042>.

Thomas, J.L. et al. (2009a) 'Diagnosis and Treatment of Forefoot Disorders. Section 1: Digital Deformities', *The Journal of Foot and Ankle Surgery*, 48(2), pp. 230–238. Available at: <https://doi.org/10.1053/j.jfas.2008.12.003>.

Thomas, J.L. et al. (2009b) 'Diagnosis and Treatment of Forefoot Disorders. Section 2. Central Metatarsalgia', *The Journal of Foot and Ankle Surgery*, 48(2), pp. 239–250. Available at: <https://doi.org/10.1053/j.jfas.2008.12.004>.

Thomas, J.L. et al. (2009c) 'Diagnosis and Treatment of Forefoot Disorders. Section 3. Morton's Intermetatarsal Neuroma', *The Journal of Foot and Ankle Surgery*, 48(2), pp. 251–256. Available at: <https://doi.org/10.1053/j.jfas.2008.12.005>.

Thomas, J.L. et al. (2009d) 'Diagnosis and Treatment of Forefoot Disorders. Section 4.

Tailor's Bunion', *The Journal of Foot and Ankle Surgery*, 48(2), pp. 257–263. Available at: <https://doi.org/10.1053/j.jfas.2008.12.006>.

Tiberio, D. (1988) 'Pathomechanics of structural foot deformities', *Physical Therapy*, 68(12), pp. 1840–1849. Available at: <https://pdfs.semanticscholar.org/8995/f935f817c4bbe6d5053165982fa93f09501a.pdf>.

Torkki, M. et al. (2001) 'Surgery vs Orthosis vs Watchful Waiting for Hallux Valgus', *JAMA*, 285(19), pp. 2474–2480. Available at: <https://doi.org/10.1001/jama.285.19.2474>.

Vaishya, R. et al. (2016) 'Spontaneous osteonecrosis of navicular and talus (SONNT)', *Journal of Clinical Orthopaedics and Trauma*, 7, pp. 83–87. Available at: <https://doi.org/10.1016/j.jcot.2016.06.005>.

Vicenzino, B. et al. (2005) 'Initial effects of anti-pronation tape on the medial longitudinal arch during walking and running', *British Journal of Sports Medicine*, 39(12), pp. 939–943. Available at: <https://doi.org/10.1136/bjsm.2005.019158>.

Vinicombe, A., Raspovic, A. and Menz, H.B. (2001) 'Reliability of navicular displacement measurement as a clinical indicator of foot posture', *Journal of the American Podiatric Medical Association*, 91(5), pp. 262–268. Available at: <https://www-japmaonline-org.ezproxy.aut.ac.nz/doi/pdf/10.7547/87507315-91-5-262>.

Walsh, M. et al. (2000) 'Leg length discrepancy — an experimental study of compensatory changes in three dimensions using gait analysis', *Gait & Posture*, 12(2), pp. 156–161. Available at: [https://doi.org/10.1016/S0966-6362\(00\)00067-9](https://doi.org/10.1016/S0966-6362(00)00067-9).

Wegener, C. et al. (2008) 'Effect of Neutral-Cushioned Running Shoes on Plantar Pressure Loading and Comfort in Athletes with Cavus Feet', *The American Journal of Sports Medicine*, 36(11), pp. 2139–2146. Available at: <https://doi.org/10.1177/0363546508318191>.

Whitaker, J.M., Augustus, K. and Ishii, S. (2003) 'Effect of the low-dye strap on pronation-sensitive mechanical attributes of the foot', *Journal of the American Podiatric Medical Association*, 93(2), pp. 118–123. Available at: <https://doi.org/10.7547/87507315-93-2-118>.